



KOMO[®]

Product Certificate



Number	K87106/01	Replaces	-
Issued	2015-03-01	Dated	-
Valid until	Indefinite	Page	1 of 2

Inlets of PP for non-pressure underground sewage

M.D.S. Meyer GmbH

DECLARATION OF KIWA

This product certificate is issued on the basis of guide line BRL 9208-2 "Tubes and fittings with structured wall produced out of polyolefines to be used for non-pressure underground sewage" dated 5 December 1998, including amendment dated 15 April 2004, in accordance with the Kiwa Regulations for Product Certification.

Kiwa declares that legitimate confidence exists that the inlets of PP to be used for non-pressure underground sewage and delivered by the certificate holder fulfill the requirements of the here mentioned technical specification, in case these inlets of PP intended to be used for non-pressure underground sewage are bearing the KOMO[®]-mark in the way described in this quality declaration;

Bouke Meekma
Kiwa

The certificate is listed in the overview on the website of Stichting KOMO: www.komo.nl.
Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

Holder of Certificate
M.D.S. Meyer GmbH
Hansatal 2
49456 BAKUM - HARME
Germany

T +49 (0)4446 9677-0
F +49 (0)4446 9677-10
I www.mds.dichtungen.de

Kiwa Nederland B.V.
Sir Winston Churchilllaan 273
Postbus 70
2280 AB RIJSWIJK

Tel. 070 414 44 00
Fax 070 414 44 20
info@kiwa.nl
www.kiwa.nl



Evaluated is:
Quality system
product
Periodical control

Inlets of PP for non-pressure underground sewage

TECHNICAL SPECIFICATION

Product Specification

Inlets of PP intended to be used for vertical connection of structured or smooth tubes for non-pressure sewage according to guide line BRL 9208. The products according the table below fulfill the requirement of this guide line.

Color of inlets: **black**

Table – inlets:

Main Sewage mm (ID)	Tubes with structured wall (type B), ribbed tube, "Wellrohr"		Tubes with non-structured wall (type A), smooth tube, "Glattrohr"	
	150	200	150	200
250	X		X	
300	X	X	X	X
400	X	X	X	X
500	X	X	X	X
600	X	X	X	X
800	X	X	X	X
1000	X	X	X	X
1200				

Marking

The following compulsory marks and indications must be provided on each product and product packaging in a clear, legible and indelibly way:

- KOMO (or KOMO[®] word mark);
- Name of producer or trademark;
- Type of material applied "PP";
- Guide line BRL 9208;
- Nominal dimensions;
- The year of manufacturing and preferably also the quarter.

Recommendations for the users

The products are intend for application in plastic piping systems of non-pressure underground sewage. Please observe the following application conditions:

- NPR 3218 "Outside non-pressure sewage: Construction and maintainance";
- The processing guideline or installation instructions of the producer.

Check at the time of delivery whether:

- the products are in accordance with the agreement;
- the mark and marking method are correct;
- the products show no visible defects as a result of transport etc.

Consult the installation instructions of the producer for the correct way of storage, transport and processing of the products.

If you should reject a product on the basis of the above, please contact:

- M.D.S. Meyer GmbH

And, if necessary:

- Kiwa Nederland B.V.

Check whether this certificate is still valid by consulting the Kiwa website www.kiwa.nl

CONSTRUCTION PRODUCTS REGULATIONS

If a construction product is subject to a European harmonised technical specification, the statements in this KOMO product certificate must not be used as a replacement for the CE marking on such construction product and/or for the associated obligatory Declaration of Performance.